


# Actuator

704.206.7



<https://www.eao.com/component/704.206.7/en/ac...>

Your product:

---



## 704.206.7 Actuator

### FRONT

|                       |               |
|-----------------------|---------------|
| Front dimension:      | 30 mm x 30 mm |
| Front form:           | Square        |
| Front bezel colour:   | Black         |
| Front bezel material: | Plastic       |

### MOUNTING

|                |                |
|----------------|----------------|
| Design:        | Raised         |
| Mounting type: | Panel mounting |

### OPERATING-/INDICATION PART

|                             |              |
|-----------------------------|--------------|
| Lens colour:                | Colourless   |
| Lens material:              | Plastic      |
| Lens shape:                 | Flush        |
| Lens optics:                | transparent  |
| Marking plate colour:       | White        |
| Marking plate optics:       | translucent  |
| Marking plate illumination: | illuminative |

### ELECTRICAL CHARACTERISTICS

|            |                                                                                           |
|------------|-------------------------------------------------------------------------------------------|
| Standards: | The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1 |
|------------|-------------------------------------------------------------------------------------------|

### MECHANICAL CHARACTERISTICS

**Terminal:** Screw terminal

**Weight:** 0.038 kg

## **AMBIENT CONDITION**

**IP Protection:** IP65 front side

**Operating temperature:** – 40 °C ... + 55 °C

**Storage temperature:** – 40 °C ... + 85 °C

## **CERTIFICATE**

**REACH:** REACH compliant

**RoHS:** RoHS compliant

## **OTHER**


**Short Description:** Actuator, 30 mm x 30 mm, Flush, Colourless, Plastic, transparent, Square, Black, Plastic, Screw terminal

**Housing colour:** Black



**Housing material:** Plastic

**Hints:** Filament lamp or LED

**Wiring diagrams:**




**Mounting cut-outs:**



A = Screw terminal  
B = Push-in terminal (PIT)

**Dimension drawings:**



A = Screw terminal

